Appendix I, Table 1: Pollinator Plants for Coastal British Columbia & Washington

ANNUAL & BIENNIAL FLOWERS	Coast Native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerate some shade	Deer Resistant	Notes
Apiaceae Family Culinary Herbs Dill, cilantro, parsley, angelica		Х	Х			Annuals, except parsley, which is biennial; plants self-sow readily, attract many pollinators
Borago officinalis Borage, Common Borage		Х	Х		Х	Blooms all season if sown at intervals; blue flowers; sprawling habit; best in fertile soil
Brassica Species Vegetables. Annuals: Chinese Cabbage, Mustards, Broccoli; Biennials: Kale, Brussels Sprouts, Cabbage		Х				Overwintered biennials or hardy annuals bloom spring to June; yellow flowers; need well-limed, fertile soil; one of best for diverse pollinator groups
Calendula officinalis Calendula, Pot marigold [Not French marigold, Tagetes spp.]		Х	Х		Х	Blooms all summer & fall; yellow to orange flowers; 30-60 cm (1-2 ft); self-sows freely; deadhead to prolong bloom; attracts wide variety of wild pollinators
Coreopsis tinctoria Annual Coreopsis, Tickseed Not double-flowered cultivars		Х		Х	Х	Blooms June to fall; yellow, orange, maroon flowers; 0.3-1 m (1-3 ft); deadhead to prolong bloom; easy from seed. [Perennial <i>Coreopsis</i> species attract pollinators; not deer resistant]
Cosmos bipinnatus Cosmos		Х	Х			Blooms summer to fall; flowers white, shades of pink; 1 m (3 ft); best planted in masses; visited by many pollinators
Eschscholzia californica California poppy			Х		X?	Spring blooming; orange flowers; deer may eat flowers; good in rock walls, rock gardens; self-sows readily
Fagopyrum esculentum Buckwheat		Х	Х			Quick growing crop used as cover crop in agriculture to smother weeds; attracts many species; leafcutter bees use leaves for nests
Helianthus annus Sunflowers Not double-flowered or pollen-less hybrids: e.g., 'Sunrich' series, 'Suntastic' & small-flowered cutting types		Х				Blooms AugSept; medium to very tall with large flowers; tallest plants need staking; choose cultivars with pollen: e.g. 'Russian Mammoth', 'Sungold', 'Original Sun'; attracts many groups of pollinators
Lobularia maritima Sweet Alyssum [tender perennial grown as an annual]		Х		Х		Flowers from seed in 6 weeks, continues until frost; white or pink flowers; low clumps, up to 30 cm (1 ft); survives mild winters & may self-sow; attracts many non-bee pollinators & bees; good in borders, rockery, any type of soil

ANNUAL & BIENNIAL FLOWERS	Coast Native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerate some shade	Deer Resistant	Notes
Myosotis sylvatica Forget-me-not, Wood Forget-me-not		Х		Х	Х	Biennial; Flowers April-June; blue flowers 30 cm (1 ft); self-sows freely; good ground cover over spring bulbs; attracts many pollinator groups
Phacelia tanacetifolia Phacelia, Purple Tansy, Tansy Phacelia		Х	Х			Mauve-blue flowers; 0.3-1 m (1-3 ft); survives mild winters; leggy plants, best in large clumps; sow direct, several times over season for longest bloom; does well in poor soil; causes skin irritation in some people
Plectritis congesta Sea Blush	Х	Х	Х	Х	Х	April-June, pink flowers; 10-60 cm (1-2 ft); one of most attractive plants in Garry oak ecosystems for wild bees; self-sows readily
Trifolium incarnatum Crimson clover		Х	Х			Blooms late spring-summer; good as ground cover or cover crop; best in well limed soil

PERENNIAL FLOWERS	Coast Native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerate some shade	Deer Resistant	Notes
Flowers March-May						
Arctostaphylos uva-ursi Kinnikinnick	Х	Х	Х		Х	Blooms through June; light pink flowers; 4-40 cm (2-16 in); drought tolerant ground cover; attracts bumble bees, mason bees
Bellis perennis English Daisy		Х		Х	X	White-pink flowers; 10-15 cm (4-6 in); excellent in pollinator lawns; mowing prolongs bloom period; annual in colder areas; attracts sweat bees, carpenter bees, other wild bees
Camassia quamash Common Camas C. leichtliini Great Camas	Х	Х	Х	Х	Х	Purple flowers; <i>C. quamash</i> 30-60 cm (1-2 ft), <i>C. leichtliini</i> 1-1.3 m (3-4 ft); most attractive plants for pollinators in Garry oak ecosystem (see pg. XX); good in hot, dry sites
Fragaria chiloensis Coastal Strawberry, Beach Strawberry	Х		Х	Х	Х	White flowers; 30 cm (1 ft); low, trailing plants spread rapidly, good as ground cover; attracts bumble bees, mining bees & other wild pollinators
Geranium species Geranium, Cranesbill Geranium [Not Pelargonium "Geraniums"]		Х	Х	Х	Х	Pink, purple flowers; 0.3-1 m (1-3 ft); drought tolerant once established; some species rampant, best in large gardens; use alpine and groundcover species in rockery, small gardens; flowers until fall if cut back after bloom

PERENNIAL FLOWERS	Coast Native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerate some shade	Deer Resistant	Notes
Geum macrophyllum Avens, Large-leaved	х	х			Х	Yellow flowers; to 1 m (3 ft); needs good drainage; blooms to fall if deadheaded
Iberis sempervirens Evergreen Candytuft		Х		Х	Х	White flowers; 30 cm (1 ft); needs well-drained soil; good as a border, in rockery; shear after bloom for flowers all summer
Linaria purpurea Purple Toadflax		Х		Х	Х	Violet blue; 0.8-1 m (2.5-3 ft); easy to grow; blooms all summer into fall; attracts bumble bees, carder bees
Nepeta mussinii Catmint, Catnip Mint Also Catnip N. cataria & other Nepeta species		Х		Х	Х	Lavender blue flowers; 30 cm (1 ft); needs well-drained soil; catmint is less attractive to cats than catnip; attracts bumble bees, digger & mason bees
Scilla siberica Scilla, Squill			Х		Х	Early spring bulb, blue flowers, 15 cm (6 in); naturalizes well, but not in wet sites; attracts many groups of bees
Flowers June-July						
Achillea millefolium Yarrow [Not cultivars with coloured flowers]	Х		Х	Х	X	White flowers; 30-50 cm (1-1 ½ ft); well-drained soil; grows in poor soil, rockery; blooms to fall; one of most attractive to non-bee pollinators & wild bees
Agastache foeniculum Anise Hyssop, Giant-Hyssop		Х		Х	Х	Lilac blue flowers; 1 m (3 ft); blooms 12-14 weeks from sowing; gold-leaved cultivar not as attractive to pollinators
Allium cernuum Nodding Onion	Х		Х	Х	Х	Pink flowers; to 50 cm (18 in); good in sandy soil, hot, dry sites, rock gardens, as a ground cover; bulbs multiply readily; takes 2-3 year to bloom from seed
Campanula species Bellflowers		Х		Х	X?	Most with blue flowers; up to 1 m (to 3 ft); blooms into fall; low & trailing species good in rockery, as ground covers; easy from seed; deer may eat flowers; some can be invasive: e.g., <i>C. rapunculoides</i>
Chamerion [=Epilobium] angustifolium Fireweed	Х	Х				Pink flowers; 0.6-1.5 m (2-5 ft); self-sows freely, especially in disturbed sites; attracts bumble bees, honey bees
Echinacea purpurea Purple Coneflower [Not 'White Swan' or hybrids e.g. 'Pink Double Delight', 'Sunrise Big Sky']		Х			Х	Rosy purple flowers; 1-1.3 m (3-4 ft); hybrids not as attractive; easy to grow from seed; blooms July until frost; valuable to many pollinator groups
Echinops species Globe Thistle		Х			Х	Blue flowers; 1-1.3 m (3-4 ft); needs well-drained, limed soil; robust clumps don't need dividing for years; attracts bumble bees
Erigeron speciosus & other native species Showy Daisy, Fleabane [Not hybrid cultivars]	Х	Х		Х	х	Purple to pink flowers; 30-60 cm (1-2 ft); best in sandy soil; blooms again if cut back after flowering; blooms through August; attracts many native pollinators
Eriophyllum lanatum Woolly Sunflower, Woolly Eriophyllum, Oregon Sunshine	Х		Х	X	X	Bright yellow flowers; 10-60 cm (4-24 in); spring sown plants bloom in first summer; very drought tolerant; good in exposed rocky sites, rock gardens

PERENNIAL FLOWERS	Coast Native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerate some shade	Deer Resistant	Notes
Gailardia aristata Brown-eyed Susan, Blanketflower [Not Gailardia X grandiflora or other hybrids]		Х			Х	Yellow to red flowers; 60-80 cm (2-2 ½ ft); needs good drainage, easy from seed, often reseeds; attracts bumble bees, leaf cutter bees & other wild bees
Lamiaceae Family Culinary Herbs Sage, rosemary, oregano, marjoram, mints, thyme		Х	X		X	Low-growing plants or small bushes; well-drained soil amended with lime; attracts many pollinators, carder bees use sage for nest materials; mints become invasive if not confined
Lavender <i>Lavendula</i> spp.			Х		Х	Lavender flowers; 0.3-0.6 m (1-2 ft); good seaside plants; shear after bloom for flowers into fall; one of best for all kinds of bees
Liatris spicata Gayfeather		Х	Х		Х	Purple flowers; 1.3 m (4 ft); tolerates poor soil, but not wet conditions in winter; blooms into September
Monarda didyma Beebalm, Bergamot		Х			Х	Red flowers; 1 m (3 ft); valuable for bumble bees & other long- tongued bees
Monarda fistulosa Wild Bergamot		X		X	Х	Lavender flowers; 0.6-1.3 m (2-4 ft); 'Claire Grace' cultivar is equally attractive and powdery mildew resistant; especially attracts bumble bees
Penstemon davidsonii Davidson's Penstemon	Х	Х		Х	Х	Violet blue flowers; 15-20 cm (6-8 in); low shrubs, good in rockery; especially valuable to rare wild bee species
Penstemon digitalis Penstemon		Х			Х	Light pink; 0.8-1 m (2 ½-3 ft); 'Huskers Red' cultivar is equally attractive; attracts bumble bees, digger bees, mason bees
Perovskia atriplicifolia Russian sage			Х		Х	Lavender flowers; 1-1.3 m (3-4 ft); tough plant for hot, sunny sites; blooms to October; especially attracts bumble bees, carder bees
Rudbeckia fulgida Black-eyed Susan		Х			Х	Yellow flowers; 1 m (3 ft); 'Goldsturm' cultivar equally attractive to pollinators; blooms again after deadheading
Sedum spathulifolium, Broad-leaved Stonecrop; S. lanceolatum Lance-leaved Stonecrop	Х		X		Х	Yellow flowers; 10-15 cm (4-6 in); excellent in rock walls, rock gardens; easy to propagate from offsets, rooted stems
Senecio cineraria Dusty miller		Х	Х	Х	Х	Bright yellow flowers; 0.6-1 m (2-3 ft); needs good drainage; blooms all summer; especially attracts leafcutter bees
Stachys byzantina Lamb's-Ear, Woolly Lamb's Ear		х		х	х	Purple flowers; stalks to 0.5 m (1 ½ ft); needs good drainage; avoid cultivars without flowers; especially attracts carder bees
Thymus spp. Thymes, many species		Х	Х		Х	Pink to purple flowers; 2-50 cm (1-18 in); creeping thymes are good lawn alternatives; low shrubs good in rockery, borders; shear tall thymes after bloom; one of best for many pollinator groups
Trifolium species Red Clover, & White Dutch Clover		х	Х	х		

PERENNIAL FLOWERS	Coast Native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerate some shade	Deer Resistant	Notes
						White Dutch clover: 10 cm (4 in), good in lawns; red clover: 30 cm
						(1 ft); both visited by bumble bees, mason bees, honey bees; lime soil for best growth
Flowers August-September					•	, , , , , , , , , , , , , , , , , , ,
Anaphalis margaritacea Pearly Everlasting	Х		Х	Х	Х	White flowers; up to 1 m (3 ft); rocky slopes, open forest, roadsides; especially attracts sweat bees
Chrysanthemum maximum Shasta daisy		Х		Х	?	White flowers; 0.6-1 m (2-3 ft), blooms June to Sept.; easy to grow from seed
Eryngium planum Plains Eryngo E. amethystinum Sea Holly		Х	Х		Х	Blue flowers; to 1 m (3 ft); good in rocky, dry sites; avoid sites with wet conditions in winter; deadhead for more flowers
Helenium autumnale Mountain Sneezeweed [Not hybrid cultivars]	X	х				Yellow flowers; 0.4-1.2 m (15-50 in); good in wet sites; 'Moerheim Beauty' cultivar not as attractive; easy to grow from seed; attracts honeybees, bumble bees, leafcutter bees
Sedum spectabile & others Sedums			Х			Pink, yellow, white flowers; to 0.5 m (1 ½ ft); good in gravelly or sandy soil; cultivars also attractive: e.g., 'Autumn Joy'; easy to propagate from rooted stem, leaf cuttings
Solidago lepida Western Canada Goldenrod; S. canadensis Canada Goldenrod	Х	Х		Х	X?	Bright yellow flowers; 1-1.3 m (3-4 ft); pollen is not windblown & not allergenic; especially attracts bumble bees, digger bees, sweat bees, leafcutter bees
Stachys albotomentosa or S.coccinea Scarlet Hedgenettle, Stachys 'Hildago'		Х			X	Salmon pink to red flowers; 20 cm (2 ft); blooms to late fall; hardy only in mildest winter zones; vigorous, needs well-drained soil; especially attracts honey bees
Symphyotrichum [=Aster] subspicatum Douglas aster	Х	Х			Х	Purple flowers blooms July to Sept.; to 1 m (3 ft); attracts many groups of wild pollinators
Symphyotrichum novae-angliae New England Aster		Х			Х	Purple flowers; 1-1.5 m (3-5 ft); re-seeds well; attracts many wild pollinator groups; cultivar 'Alma Poetschke' less attractive
Veronicastrum virginicum Culver's root		Х				White flower; 1.3-1.5 m (4-5 ft); 'Lavendelturm' cultivar may be more attractive than wild-type and blooms longer

TREES	Coastal native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerates some shade	Deer Resistant	Notes
Acer macrophyllum Bigleaf Maple	Х	Х	Х	Х	Х	Early spring; inconspicuous, but very attractive yellow flowers; 15-25 m (50-80 ft.); many bees prefer maple flowers over other plants blooming at same time
Acer species, including Japanese maples		Х	Х	Х		Spring; inconspicuous but very attractive flowers; variable heights
Salix species Willows Not weeping willow	Х	Х		Х		Native species are earliest pollen sources in spring; easy to grow from cuttings; protect from deer until out of reach
Arbutus menziesii Arbutus, Pacific Madrone, Madrone	Х		Х	Х		White flowers; 10-25 m (30-80 ft); protect from deer until out of reach
Arctostaphylos columbiana Hairy Manzanita	Х		Х		Х	Blooms Feb. to May; to 3 m (10 ft); needs excellent drainage; good in rocky sites; attracts bumble bees, mason bees
Prunus species, Malus species Fruiting & Ornamental Apple, cherry, peach, plum [pears are less attractive]		Х				Bloom late February to May, depending on variety; require good soil, regular irrigation for crop trees; protect dwarf trees from deer permanently, non-dwarf trees until out of reach
SHRUBS & WOODY PLANTS	Coastal native	Moist sites/ water in summer	Dry sites tolerate drought	Tolerates some shade	Deer Resistant	Notes
Flowers March-May						
Prunus laurocerasus English Laurel, Cherry Laurel		Х	Х	Х		White flowers; 3-10 m (15-30 ft); fast growing, takes a lot of trimming to keep in check as hedge; prune after bloom
Mahonia aquifolium Tall Oregon Grape; M. nervosa Dull Oregon Grape, Low Oregon Grape	Х	Х	Х	Х	Х	Yellow flowers; best with good drainage, acid soil; adaptable to wide range of conditions; <i>M. aquifolium:</i> 1-1.5 m (3-5 ft); <i>M. nervosa:</i> 0.5 m (1.5 ft), good as ground cover under trees & shrubs
Physocarpus capitatus Pacific ninebark	Х	Х		Х		White flowers; 1-3 m (3-10 ft); tough, hardy shrub; protect from deer until out of reach
Ribes sanguineum Red Flowering Currant	Х	Х	Х	Х	X?	Dark pink flowers; 2-4 m (6-13 ft); protect from deer until out of reach
Rhododendron macrophyllum Pacific Rhododendron	Х	Х		Х	Х	Pink flowers; 2–6 m (6–20 ft); partial shade, acid soil, needs little water in summer; mainly attracts bumble bees
Rhododendron species & cultivars		Х		Х	X?	Various colours & heights; need rich, acid soil, regular irrigation; deer browse some & avoid others; mainly attracts bumble bees

SHRUBS & WOODY PLANTS	Coastal native	Moist sites/ water in summer	Dry sites/ tolerate drought	Tolerates some shade	Deer Resistant	Notes
Gaultheria shallon Salal	Х	Х	Х	Х	Х	Whitish-pink flowers; needs acid soil; on dry sites, grows to 0.6 m (2 ft), useful as ground cover between trees and shrubs; much taller on moist sites; mainly attract bumble bees
Rubus spectabilis Salmonberry	Х	Х		Х	X?	Pink flowers; 2-4 m (6-13 ft); not for full sun; protect from deer until established; especially attracts bumble bees, flower flies
Amelanchier alnifolia Saskatoon, Serviceberry	Х	Х	Х	Х	Х	White flowers; 2-4 m (6-13 ft)' especially attracts honey bees, mining bees, flies and wasps
Hebe species Shrubby Veronica		Х	X	Х		Lavender, pink or white flowers; heights, bloom times vary; some bloom late summer; low, compact shrubs; need well-drained soil, not hardy in colder areas; attracts mining bees, other wild bees
Flowers June-July						
Ceonothus species California lilac			Х		X? (small leaved species)	Most with blue flowers; ground covers to tall shrubs; in deer areas grow small-leaved species or taller species & protect until out of reach; attracts bumble bees, sweat bees, mining bees
Cotoneaster species Cotoneasters			Х		Х	White flowers; species range from groundcovers to tall shrubs; especially attracts bumble bees, mining bees
Spiraea douglasii Hardhack, Spirea	Х	Х		Х	X?	Pink flowers; 1-2 m (3-6 ft); best in acid soil; good in wet sites; very robust; protect from deer until well established; attracts bumble bees, flower flies, sweat bees
Erica species Heaths, Heathers Most bloom June to fall; E. cinerea June-Nov.; E. ciliaris July-Oct.; E. carnea NovApril		Х		Х	Х	Flowers white to shades of pink; low, spreading bushes; need acid soil, excellent drainage in winter, not suited to heavy clay; shear back after blooming; attracts bumble bees, sweat bees
Rosa nutkana Nootka Rose Rosa gymnocarpa Baldhip Rose, Woodland Rose	Х	Х	Х	Х	Х	Pink flowers, R. nutkana 1.5-3 m (5-10 ft) forms dense thickets; R. gymnocarpa 1.3 m (4 ft), upright shrubs; attracts honey bees, bumble bees; protect from deer until established
Holodiscus discolor Oceanspray	Х	Х	Х	Х	X?	White flowers, bloom into August; 1-5 m (3-18 ft); very adaptable; especially attracts mining bees, sweat bees; protect from deer until out of reach
Cornus stolonifera Red-osier Dogwood	Х	Х		Х		White flowers; 1-4 m (3-13 ft); spreads by underground stems to form multi-stemmed shrub; attracts honey bees, sweat bees, mining bees
Symphoricarpos albus Common Snowberry	Х	Х	Х	Х		Pink flowers; very long bloom period, May-Sept.; spreading, low shrubs, 0.5-1.5 m (1.5-5 ft); tolerates poor conditions; one of best for bumble bees, mining bees, non-bee pollinators
Rubus parviflorus Thimbleberry	Х	Х		Х	X?	White flowers' 0.5-3 m (1.5-10 ft); forms dense thickets; protect from deer until established; attracts bumble bees & honey bees